
From: Potokar, Steven </O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=AF61FE2C4F9C4CA5A4F082811268937E-POTOKAR, STEVEN>
To: Levo, Brian
Sent: 10/13/2020 5:34:24 PM
Subject: RE: Scanned Document Received via UPS

Thanks

Steven Potokar
US EPA Region 10
Enforcement Compliance Assurance Division
Surface Water Enforcement Section
1200 Sixth Ave Ste 155 Mailstop 20-C04
Seattle WA 98122
Phone: 206-553-6354

From: Levo, Brian <Levo.Brian@epa.gov>
Sent: Tuesday, October 13, 2020 2:23 PM
To: Potokar, Steven <Potokar.Steven@epa.gov>
Subject: FW: Scanned Document Received via UPS

Another NOI on Electron Dam

Brian Levo
NPDES Enforcement Coordinator
Surface Water Enforcement Section
U.S. Environmental Protection Agency - Region 10
1200 6th Avenue, Suite 155, MS 20-C04, Seattle, WA 98101
Phone: (206) 553-1816, Fax: (206) 553-4743

From: Gahner, Pamela <gahner.pamela@epa.gov>
Sent: Tuesday, October 13, 2020 12:09 PM
To: Brown, Leah <Brown.Leah@epa.gov>; Connery, Shannon <Connery.Shannon@epa.gov>; Edgell, Joe <Edgell.Joe@epa.gov>; Ingemansen, Dean <Ingemansen.Dean@epa.gov>; Levo, Brian <Levo.Brian@epa.gov>; Li, Beverly <Li.Beverly@epa.gov>
Cc: Young, Teresa <Young.Teresa@epa.gov>
Subject: FW: Scanned Document Received via UPS

From: Burge, Janis <Burge.Janis@epa.gov>
Sent: Tuesday, October 13, 2020 12:06 PM
To: Gahner, Pamela <gahner.pamela@epa.gov>
Cc: Steele, William <Steele.William@epa.gov>; Johnson, DeborahG <Johnson.DeborahG@epa.gov>
Subject: Scanned Document Received via UPS

Scan to PDF for Pam Gahner.

Janis Burge
Copy/Print Technician
NATECH Contractor

EH0006174

US EPA Region 10
1200 6th Avenue, Suite 155
Seattle, WA 98101
206-553-6283/4049
Burge.Janis@epa.gov



To submit a Support Services request, select the link below for the Facilities Management Request system portal.

<http://t1010hsepk605/CherwellPortal/SupportServices/winlogin>